CLEENOL For a cleaner, safer world

SAFETY DATA SHEET **UNIVERSAL DISHWASH & GLASSWASH DETERGENT**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name UNIVERSAL DISHWASH & GLASSWASH DETERGENT

Internal identification 020456, 020473, 020469

Container size 2X5L, 10L, 20L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

Uses advised against Not to be used for hand dishwashing.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House **Beaumont Road**

Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Skin Corr. 1A - H314 Eye Dam. 1 - H318 Health hazards

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage. Revision date: 03/08/2021 Revision: 22 Supersedes date: 15/01/2021

UNIVERSAL DISHWASH & GLASSWASH DETERGENT

Precautionary statements P260 Do not breathe vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

Contains SODIUM HYDROXIDE

Supplementary precautionary

P264 Wash contaminated skin thoroughly after handling.

statements P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE 5-10%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-XXXX

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

(1-hydroxyethylidene)bisphosphonic acid, sodium salt

5-10%

CAS number: 29329-71-3 EC number: 249-559-4

Classification

Acute Tox. 4 - H302 Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water

or milk to drink. Keep affected person under observation. Get medical attention if any

discomfort continues.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if

symptoms are severe or persist after washing.

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids

wide apart. Continue to rinse. Get medical attention if symptoms are severe or persist after

washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion Corrosive. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards Corrosive gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable

distance.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing

conforming to European standard EN469 (including helmets, protective boots and gloves) will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may

become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Not regarded as dangerous for the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area

with plenty of water. Following dilution, discharge to the sewer with plenty of water may be

permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Handle and open container with care. Avoid contact with skin,

eyes and clothing.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Container must be kept tightly closed when not in use.

Storage class Chemical storage. Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Wear protective

gloves made of the following material: Nitrile rubber. Rubber (natural, latex). To protect hands

from chemicals, gloves should comply with European Standard EN374.

Hygiene measures Wash promptly if skin becomes contaminated.

Respiratory protection
No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Straw.

Odour Odourless.

pH (concentrated solution): 13.6

Initial boiling point and range 100°C @ 760 mm Hg

Flash point Not applicable.

Flammability (solid, gas) Not applicable.

Relative density ~ 1.13 @ 20°C

Solubility(ies) Soluble in water.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not determined.

Viscosity Non-viscous.

Oxidising properties Does not meet the criteria for classification as oxidising.

Revision date: 03/08/2021 Revision: 22 Supersedes date: 15/01/2021

UNIVERSAL DISHWASH & GLASSWASH DETERGENT

9.2. Other information

Refractive index 21.7

Volatile organic compound Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

ReactivityThere are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid No specific requirements are anticipated under normal conditions of use.

10.5. Incompatible materials

Materials to avoid Acids.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 7,142.86

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Extreme pH ≥ 11.5

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion Corrosive. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage.

Route of exposure Skin and/or eye contact

SECTION 12: Ecological information

Ecotoxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic

organisms.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability The product contains inorganic substances which are not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

MobilityThe product contains substances which are water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methods Dispose of contents/container in accordance with local regulations. Discharge of small

quantities to the sewer with plenty of water may be permitted.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760

UN No. (IMDG) 1760

UN No. (ICAO) 1760

UN No. (ADN) 1760

14.2. UN proper shipping name

Proper shipping name

CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

(ADR/RID)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II
ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

80

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

Guidance EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances

Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 03/08/2021

Revision 22

Supersedes date 15/01/2021

SDS number 10110

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.