

Rinse Aid

Country Range Rinse Aid is a concentrated low foam rinse aid suitable for use in dishwashers and cabinet glass washing machines. It aids in rapid drying of crockery and cutlery, and leaves a sparkling finish

- Low foam
- Leaves a sparkling finish
- 5 Litre



Quality Assurance:

This product is manufactured in the UK by The Country Range Group Ltd.

Produced under ISO 9001 Quality Management System & ISO 14001 Environmental Management System. This ensures our products and services are of the highest possible standard.

This product has not been tested on animals.

Contains:

Isotridecanol, Ethoxylated

Biodegradability:

All surfactants used in Country Range products comply with the current European regulations concerning biodegradability & protection of the environment.







ORDER CODE(S): CRG747 – 5ltr – 800–232–0003

Scan Me

11/10/21

The Country Range Group Ltd 4 & 5 Jupiter House, Mercury Rise, Altham, Lancashire, BB5 5BY T: 0845 209 377 W: www.countryrange.co.uk Revision: 1



SAFETY DATA SHEET

RINSE AID

Compiled in Accordance with EU and GB REACH and CLP Regulations.

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | |
|---|---|--|
| 1.1. Product identifier | | |
| Product name | RINSE AID | |
| Product number | 800-232-0003 | |
| Internal identification | CRG747 | |
| 1.2. Relevant identified uses of | of the substance or mixture and uses advised against | |
| Identified uses | Dishwash final rinse additive. | |
| Uses advised against | Not for direct oral consumption in concentrated form. | |
| 1.3. Details of the supplier of t | the safety data sheet | |
| Supplier | www.countryrange.co.uk GB: The Country Range Group Ltd, 4 & 5, Jupiter House, Mercury Rise, Altham, Lancashire, BB5 5BY. +44 (0) 845 209 3777 EU: The Country Range Group, PO Box 246, NEWTOWNABBEY, BT36 9EZ. +44 (0) 845 209 3777 | |
| Contact person | hello@countryrange.co.uk | |
| 1.4. Emergency telephone nu | mber | |
| Emergency telephone | +44 (0) 845 209 3777 (Office Hours). | |
| National emergency telephonen number | e In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 | |
| Irish NPIC number | | |
| SECTION 2: Hazards identification | | |
| 2.1. Classification of the subst | tance or mixture | |
| Classification (EC 1272/2008) | <u>)</u> | |
| Physical hazards | Not Classified | |
| Health hazards | Eye Dam. 1 - H318 | |
| Environmental hazards | Not Classified | |
| 2.2. Label elements | | |
| Hazard pictograms | | |
| | | |
| Signal word | Danger | |

| Hazard statements | H318 Causes serious eye damage. |
|--------------------------|--|
| Precautionary statements | P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P501 Dispose of contents/ container in accordance with local regulations. |
| Contains | ISOTRIDECANOL, ETHOXYLATED |
| Detergent labelling | 5 - < 15% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3-diol |
| | |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

| 3.2. Mixtures | | | |
|----------------------------|----------------------|--|------|
| ISOTRIDECANOL, ETHOXYLATED | | | 1-5% |
| CAS number: 68439-51-0 | EC number: 931-986-9 | REACH registration number: 01- 2119976362-32-XXXX | |
| Classification | Classification | n (67/548/EEC or 1999/45/EC) | |
| Skin Irrit. 2 - H315 | Xn;R22. Xi;F | R41. | |
| Eye Dam. 1 - H318 | | | |
| CITRIC ACID ANHYDROUS | | | 1-5% |
| CAS number: 77-92-9 | EC number: 201-069-1 | REACH registration number: 01- 2119457026-42-XXXX | |
| Classification | | | |
| Eye Irrit. 2 - H319 | | | |
| BRONOPOL (INN) | | | <1% |
| CAS number: 52-51-7 | EC number: 200-143-0 | REACH registration number: 01- 2119980938-15-XXXX | |
| M factor (Acute) = 10 | | | |
| Classification | Classification | n (67/548/EEC or 1999/45/EC) | |
| Acute Tox. 4 - H302 | Xn;R21/22 X | (i;R37/38,R41 N;R50 | |
| Acute Tox. 4 - H312 | | | |
| Skin Irrit. 2 - H315 | | | |
| Eye Dam. 1 - H318 | | | |
| STOT SE 3 - H335 | | | |
| Aquatic Acute 1 - H400 | | | |
| Aquatic Chronic 2 - H411 | | | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Provide eyewash station.

| Inhalation | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. | |
|--|---|--|
| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. | |
| Skin contact | Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing. | |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel. | |
| 4.2. Most important symptoms | and effects, both acute and delayed | |
| General information | Provide eyewash station. | |
| Inhalation | Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature. In combination with Bleach can produce Chlorine gas - Check for respiratory disorders. | |
| Ingestion | Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported. | |
| Skin contact | Prolonged contact may cause redness, irritation and dry skin. | |
| Eye contact | The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes. | |
| 4.3. Indication of any immediate medical attention and special treatment needed | | |
| 4.3. Indication of any immediat | e medical attention and special treatment needed | |
| 4.3. Indication of any immediat Notes for the doctor | e medical attention and special treatment needed Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. | |
| | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. | |
| Notes for the doctor | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. | |
| Notes for the doctor SECTION 5: Firefighting meas | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. | |
| Notes for the doctor SECTION 5: Firefighting meas 5.1. Extinguishing media | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. ures The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. | |
| Notes for the doctor SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. ures The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. | |
| Notes for the doctor SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro Hazardous combustion | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. ures The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. om the substance or mixture Thermal decomposition or combustion products may include the following substances: Oxides | |
| Notes for the doctor SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro Hazardous combustion products | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. ures The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. om the substance or mixture Thermal decomposition or combustion products may include the following substances: Oxides | |
| Notes for the doctor SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from Hazardous combustion products 5.3. Advice for firefighters Protective actions during | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. ures The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. mthe substance or mixture Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours. | |
| Notes for the doctor SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from Hazardous combustion products 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. ures The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. Om the substance or mixture Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| Notes for the doctor SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising fro Hazardous combustion products 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental release | Ensure skin and eyes are well rinsed to neutral pH. Check Mouth for evidence of irritation. If mixed with bleach may produce Chlorine Gas, check for respiratory disorders. ures The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. Om the substance or mixture Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

| 6.3. Methods and material for | containment and cleaning up |
|--|--|
| Methods for cleaning up | Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. |
| 6.4. Reference to other sectio | ns |
| Reference to other sections | For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. |
| SECTION 7: Handling and sto | prage |
| 7.1. Precautions for safe hand | lling |
| Usage precautions | Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. |
| Advice on general occupational hygiene | Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin. |
| 7.2. Conditions for safe storage | ge, including any incompatibilities |
| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. |
| 7.3. Specific end use(s) | |
| Specific end use(s) | The identified uses for this product are detailed in Section 1.2. |
| SECTION 8: Exposure contro | Is/Personal protection |
| 8.1. Control parameters | |
| | CITRIC ACID ANHYDROUS (CAS: 77-92-9) |
| DNEL | Available hazard data do not support the need for a DNEL to be established for other health effects. |
| PNEC | - Fresh water; 0.44 mg/l - marine water; 0.044 mg/l - STP; >1000 mg/l - Sediment (Freshwater); 34.6 mg/kg - Sediment (Marinewater); 3.46 mg/kg - Soil; 33.1 |

BRONOPOL (INN) (CAS: 52-51-7)

RINSE AID

| DNEL | Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³ Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³ Workers - Inhalation; Long term local effects: 4.2 mg/m ³ Workers - Inhalation; Short term local effects: 4.2 mg/m ³ Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day Workers - Dermal; Short term systemic effects: 7 mg/kg/day Workers - Dermal; Long term local effects: 0.013 mg/cm ² Workers - Dermal; Short term local effects: 0.013 mg/cm ² General population - Inhalation; Long term systemic effects: 1.2 mg/m ³ General population - Inhalation; Short term systemic effects: 3.7 mg/m ³ General population - Inhalation; Short term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.3 mg/m ³ General population - Inhalation; Short term local effects: 1.4 mg/kg/day General population - Dermal; Long term systemic effects: 4.2 mg/kg/day General population - Dermal; Short term systemic effects: 4.2 mg/kg/day General population - Dermal; Short term systemic effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 1.4 mg/kg/day General population - Dermal; Short term local effects: 1.4 mg/kg/day General population - Dermal; Short term systemic effects: 1.4 mg/kg/day General population - Dermal; Short term local effects: 0.008 mg/cm ² General population - Dermal; Short term local effects: 0.008 mg/cm ² |
|----------------------------------|--|
| PNEC | Fresh water; 0.01 mg/l marine water; 0.008 mg/l Intermittent release; 0.0025 mg/l STP; 0.43 mg/l Sediment (Freshwater); 0.041 mg/kg Sediment (Marinewater); 0.00328 mg/kg Soil; 0.5 mg/kg |
| 8.2. Exposure controls | |
| Protective equipment | |
| Appropriate engineering controls | Provide adequate ventilation. |
| Personal protection | This datasheet is not a Risk/COSHH assessment. Data given here should be used as part of a risk assessment. Data supplied here relates to the product as supplied, not in use solutions, these will have a lower classification. |
| Eye/face protection | During the manufacture and filling of this product eye protection is recommended refer to EN166. In normal use, eye protection should be used if there is risk of eye contact (for examples splashing, dripping or leaking pumps/hoses). |
| Hand protection | During Manufacture and Filling operations use of hand protection is recommended. Gloves with a breakthrough time of >60 minutes are recommended. Refer to standard EN374 for compatible materials. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Neoprene. Nitrile rubber. Polyethylene. For normal use solutions, gloves are not required. |
| Other skin and body protection | Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin. |
| Hygiene measures | Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin. |
| Respiratory protection | Respiratory protection not required. |

| Environmental exposure | Avoid releasing into the environment. |
|------------------------|---------------------------------------|
| controls | |

| Appearance | Liquid. |
|--|---|
| Colour | Blue. |
| Odour | Mild. |
| Odour threshold | Not applicable. |
| pH | pH (concentrated solution): 2.5 typically |
| Melting point | Not applicable. |
| Initial boiling point and range | 90 - 105 Degrees C. |
| Flash point | >60°C°C Closed cup. |
| Evaporation rate | Not applicable. |
| Evaporation factor | Not applicable. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Other flammability | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapour density | Not applicable. |
| Relative density | 1.010 typically @ @20°C |
| Bulk density | Not applicable. |
| Solubility(ies) | Soluble in water. |
| Partition coefficient | Not applicable. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not applicable. |
| Viscosity | No information available. |
| Explosive properties | Not applicable |
| Explosive under the influence of a flame | Not considered to be explosive. |
| Oxidising properties | Not applicable. |
| Comments | Information given is applicable to the product as supplied. |
| 9.2. Other information | |
| Other information | Not relevant. |

Reactivity

No hazardous reactions when stored and handled as indicated.

10.2. Chemical stability Stability Stable at normal ambient temperatures. 10.3. Possibility of hazardous reactions Possibility of hazardous Mixing with Bleach based products will produce toxic Chlorine Gas. reactions 10.4. Conditions to avoid Conditions to avoid Avoid exposure to high temperatures or direct sunlight. 10.5. Incompatible materials Materials to avoid Avoid contact with alkalis. Hypochlorite bleach products. 10.6. Hazardous decomposition products Hazardous decomposition No known hazardous decomposition products. products SECTION 11: Toxicological information 11.1. Information on toxicological effects **Toxicological effects** Information given is based on data of the components and of similar products. Acute toxicity - oral Notes (oral LD₅₀) Based on available data the classification criteria are not met. Acute toxicity - dermal Notes (dermal LD₅₀) Based on available data the classification criteria are not met. Acute toxicity - inhalation Notes (inhalation LC50) Based on available data the classification criteria are not met. Skin corrosion/irritation Skin corrosion/irritation Not classified. Based on available data the classification criteria are not met. Serious eye damage/irritation Serious eye damage/irritation Causes serious eye damage. Calculation method. Respiratory sensitisation Respiratory sensitisation Not classified. Based on available data the classification criteria are not met. Skin sensitisation Skin sensitisation Based on available data the classification criteria are not met. Germ cell mutagenicity Genotoxicity - in vitro Does not contain any substances known to be mutagenic. Carcinogenicity Carcinogenicity Does not contain any substances known to be carcinogenic. **Reproductive toxicity** Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction. Specific target organ toxicity - single exposure STOT - single exposure Not classified as a specific target organ toxicant after a single exposure. Specific target organ toxicity - repeated exposure STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

| General information | This product has low toxicity. | |
|--|--|--|
| Inhalation | Considered to be a low inhalation hazard at normal workplace temperatures. Note contact with Bleach may produce toxic Chlorine Gas. | |
| Ingestion | May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea. | |
| Skin contact | Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash. | |
| Eye contact | Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage. | |
| SECTION 12: Ecological infor | nation | |
| Ecotoxicity | There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment. | |
| 12.1. Toxicity | | |
| Toxicity | Not considered toxic to fish. | |
| 12.2. Persistence and degrada | ability | |
| Persistence and degradability | The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. | |
| 12.3. Bioaccumulative potentia | al | |
| Bioaccumulative potential | No data available on bioaccumulation. | |
| Partition coefficient | Not applicable. | |
| 12.4. Mobility in soil | | |
| Mobility | The product is water-soluble and may spread in water systems. | |
| 12.5. Results of PBT and vPvB assessment | | |
| Results of PBT and vPvB assessment | This product does not contain any substances classified as PBT or vPvB. | |
| 12.6. Other adverse effects | | |
| Other adverse effects | None known. | |
| SECTION 13: Disposal consid | erations | |
| 13.1. Waste treatment method | <u>s</u> | |
| General information | Do not discharge into drains or watercourses or onto the ground. | |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers. Reuse or recycle products wherever possible. | |
| SECTION 14: Transport inform | nation | |
| General | The product is not covered by international regulations on the transport of dangerous goods | |

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

| National regulations | GB (UK) CLP and REACH Regulations. |
|----------------------|---|
| | The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). |
| | EH40/2005 Workplace exposure limits. |
| EU legislation | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). |
| | Commission Regulation (EU) No 453/2010 of 20 May 2010. |
| | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 |
| | December 2008 on classification, labelling and packaging of substances and mixtures (as amended). |
| | Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative |
| | occupational exposure limit values in implementation of Council Directive 98/24/EC on the |
| | protection of the health and safety of workers from the risks related to chemical agents at work (as amended). |
| | Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015. |
| Guidance | Workplace Exposure Limits EH40. |
| | ECHA Guidance on the Application of the CLP Criteria. |
| | ECHA Guidance on the compilation of safety data sheets. |
| | COSHH Essentials. |
| | Technical Guidance WM2: Hazardous Waste. |

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

| Abbreviations and acronyms used in the safety data sheet | DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. |
|--|---|
| Revision comments | This is the first issue. |
| Revision date | 10/08/2021 |
| Revision | 1 |
| SDS number | 22659 |
| Risk phrases in full | Not classified. R11 Highly flammable. R22 Harmful if swallowed. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R67 Vapours may cause drowsiness and dizziness. |
| Hazard statements in full | H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.